APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Dat	e of filing in State Engineer's Office
Ret	application filed JAN 2 9 KM under 49656 applicant Lacana Gold Inc. Sox 11305, of Reno, Street and No. or P.O. Box No, hereby makes application for permission to appropriate the public the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
Cor	rected application filed
Ma	p filed JAN 2 9 1986 under 49656
	•
N	⇒vada, hereby makes application for permission to appropriate the public
wat	ers of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
tion	; if a copartnership or association, give names of members.). November 17, 1970
1.	The source of the proposed appropriation is <u>underground</u> Name of stream, lake, spring, underground or other source
2.	The amount of water applied for is 1.34 second-feet One second-foot equals 448.83 gals. per min.
	(a) If stored in reservoir give number of acre-feet
3.	The water to be used for mining, milling, and domestic Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4.	If use is for:
	(a) Irrigation, state number of acres to be irrigated
	(b) Stockwater, state number and kinds of animals to be watered.
	(c) Other use (describe fully under "No. 12. Remarks" See No. 12.
	(d) Power:
	(1) Horsepower developed.
	(2) Point of return of water to stream
5.	The water is to be diverted from its source at the following point. within the SF1/4 SF1/4. Describe as being within a 40-acre subdivision of public
	ection 7, T.8N., R.35E., M.D.B. & M. or at a point from which the NW
	survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated. orner of Section 6, T.8N., R.35E., M.D.B.& M., bears North 22 ⁰ 17'
	Place of use Sections 25, 26, 27, 34, 35, and 36 of T. 9N., R34E., Describe by legal subdivision. If on unsurveyed land, it should be so stated.
	Describe by legal subdivision. If on unsurveyed land, it should be so stated. ection 28 through 33 of T. 9N., R35E., Sections 1, 2, 3, 11, 12, and 13
O.	T.8N., R34E., and Sections 4 through 9, and 18 of T.8N. R.35E.,
M	D.B.& M.
7.	Use will begin about January 1 and end about December 31 , of each year. Month and Day Month and Day
	Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
	specifications of your diversion or storage works.) well, pump, storage tank, and State manner in which water is to be diverted, i.e. diversion structure, ditches and
p:	peline flumes, drilled well with pump and motor, etc.
9.	Estimated cost of works \$80,000.00

	be works.
1. Estimated time required to complete the application of water to beneficial use	Five.years
 Remarks: For use other than irrigation or stock watering, state number and type of consumptive use. 	f units to be served or annual
Annual consumptive use of Well #7 in combination with We	ells.#1
through 5 (Permits #48660-64) and 6 and 8 is not to exce	eed 1.34
cfs (316,112,764 gallons per year). Water to be used for	or a
mining-milling complex,	•
Note: Please send copies of all correspondence to Agent. By s/ John V.A. Sharp	
John V.A. Sharp	
Compared jm/se mm/se Hydro-Search, In 333 Flint Stree	
Protested Reno, Nevada 89	
APPROVAL OF STATE ENGINEER	
This is to certify that I have examined the foregoing application, and do hereby g	grant the same, subject to the
ollowing limitations and conditions:	
This permit is issued subject to existing rights. It is un that the amount of water herein granted is only a temporary allo	
nat the ambunt of water herein granted is only a temporary allowed that the final water right obtained under this permit will k	
ependent upon the amount of water actually placed to beneficial	Luse.
t is also understood that this right must allow for a reasonabl	
f the static water level. This well shall be equipped with a t nch opening for measuring depth to water. If the well is flowi	ing a
alve must be installed and maintained to prevent waste. A total	
eter must be installed and maintained in the discharge pipeline	
laced to beneficial use. The totalizing meter must be installed	ed before
laced to beneficial use. The totalizing meter must be installed ny use of water begins, or before the Proof of Completion of Wo iled. This source is located within an area designated by the S	ed before ork is State
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of World This source is located within an area designated by the Singuineer, pursuant to NRS 534.030. The State retains the right	ed before ork is State to
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of World iled. This source is located within an area designated by the Sugineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all times	ed before ork is State to es.
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Sugineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingressions.	ed before ork is State to es.
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Sugineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands.	ed before ork is State to es. ress and
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Sugineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingregress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be	ed before ork is State to es. ress and applied to beneficial use, and
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Sugmeer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34. Cubic feet per second, but I	ed before ork is State to es. ress and applied to beneficial use, and
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Sugineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34. Cubic feet per second, but I feel million gallons annually.	ed before ork is State to es. ress and applied to beneficial use, and
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Singineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34. cubic feet per second, but I lead to the investment of the permittee on or before	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Singineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34. cubic feet per second, but a cubic feet per second, but a cubic feet per second, but a cubic feet per second.	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 June 15, 1988
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Singineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34. cubic feet per second, but I work must be prosecuted with reasonable diligence and be completed on or before. Proof of completion of work shall be filed before. Application of water to beneficial use shall be made on or before.	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 June 15, 1988
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Singineer, pursuant to NRS 534.030. The State retains the right regulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 May 15, 1990 June 15, 1990
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Singineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingrights on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 June 15, 1988 May 15, 1990 June 15, 1990
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Singineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingrigers on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 June 15, 1988 May 15, 1990 June 15, 1990 ER G. MORROS
laced to beneficial use. The totalizing meter must be installed by use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Singineer, pursuant to NRS 534.030. The State retains the right egulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingrigers on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed. 1.34	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 June 15, 1988 May 15, 1990 June 15, 1990 ER G. MORROS unto set my hand and the seal of
ny use of water begins, or before the Proof of Completion of Wolled. This source is located within an area designated by the Stangineer, pursuant to NRS 534.030. The State retains the right regulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 June 15, 1988 May 15, 1990 June 15, 1990 ER G. MORROS unto set my hand and the seal o
placed to beneficial use. The totalizing meter must be installed any use of water begins, or before the Proof of Completion of Woiled. This source is located within an area designated by the Stagnary pursuant to NRS 534.030. The State retains the right regulate the use of the water herein granted at any and all time. This Permit does not extend the permittee the right of ingress on public, private or corporate lands. CONTINUED ON PAGE 2) The amount of water to be appropriated shall be limited to the amount which can be not to exceed	ed before ork is State to es. ress and applied to beneficial use, and not to exceed May 15, 1988 June 15, 1988 May 15, 1990 June 15, 1990 ER G. MORROS unto set my hand and the seal o

PERMIT TERMS CONTINUED

No perforations shall be put in the production casing from ground level to $100\ \text{feet.}$

The total combined duty of water under Permits 47025, 47961, 48163, 48164, 48660, 48661, 48662, 48663, 48664, 49656, 49657 and 49658 shall not exceed 316.11 million gallons annually.

This permit is issued under the preferred use provisions of NRS Chapter 534. The manner of use of water under this permit is by nature of its activity a temporary use and any application to change the manner of use granted under this permit will be subject to additional determination and evaluation with respect to the permanent effects on existing rights and the resource within the ground water basin.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.